

# SAFETY DATA SHEET

(According to Regulation (EC) No. 1907/2006 (REACH) and the modifications by Regulations (EC) No. 1272/2008 (CLP), (EU) 2015/830 and (EU) 2020/878)



## DISPERLITH PRIMER

Version 1 Date of compilation: 18/07/2025

Page 1 of 11  
Print date: 10/09/2025

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: DISPERLITH PRIMER  
UFI: 8VMF-3C24-D8S3-KG6K

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Primer  
Industrial use  
Professional use

#### Uses advised against:

Uses other than those recommended.

#### 1.3 Details of the supplier of the safety data sheet.

Company: **Fakolith Farben GmbH**  
Address: Carl-Benz-Str. 19  
City: D-64658 - Fürth/ Odw.  
Province: Hesse  
Telephone: +49 (0) 6253/ 2394-0  
Fax: +49 (0) 6253/ 2394-10  
E-mail: info@fakolith.com  
Web: www.fakolith.com

#### Information Department:

Germany: Uwe Farenkopf (germanyfakolith.com)  
Tel. + 49 (0) 6253 / 2394-0 Fax: +49 (0) 6253 / 2394-10

#### 1.4 Emergency telephone number:

 (Only available during office hours; Monday-Friday; 08:00-18:00)

Spain: +34 (0) 915 620 420  
Germany: +49 (0) 61 31 19 240  
Austria: +43 (0) 14 06 43 43  
Switzerland: +41 (0) 44 25 15 151  
Italy: +39 (0) 26 44 42 523

### SECTION 2: HAZARDS IDENTIFICATION.

#### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

Aquatic Chronic 3 : Harmful to aquatic life with long lasting effects.  
Skin Sens. 1 : May cause an allergic skin reaction.

#### 2.2 Label elements.

##### Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:



Signal Word:

**Warning**

Hazard statements:

# SAFETY DATA SHEET

(According to Regulation (EC) No. 1907/2006 (REACH) and the modifications by Regulations (EC) No. 1272/2008 (CLP), (EU) 2015/830 and (EU) 2020/878)



## DISPERLITH PRIMER

Version 1 Date of compilation: 18/07/2025

Page 2 of 11  
Print date: 10/09/2025

H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P321 Specific treatment (see ... on this label).  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P501 Dispose of contents/continaer according to local/regional/national/international legistlation.

EUH statements:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Contains:

2-octyl-2H-isothiazol-3-one

Active substances:

2-n-butyl-benzo[d]isothiazol-3-one  
Pyridine-2-thiol 1-oxide, sodium salt  
1,2-benzisothiazol-3(2H)-one  
2-octyl-2H-isothiazol-3-one

### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

### 3.1 Substances.

Not applicable.

### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

Identifiers	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	Specific concentration limits and Acute toxicity estimate
Index No: 613-344-00-7 CAS No: 3811-73-2 EC No: 223-296-5 Registration No: 01-2119493385-28-XXXX	Pyridine-2-thiol 1-oxide, sodium salt	0 - 0.25 %	Acute Tox. 3, H311 - Acute Tox. 3, H331 - Acute Tox. 4, H302 - Aquatic Acute 1, H400 (M=100) - Aquatic Chronic 1, H410 - Eye Irrit. 2, H319 - STOT RE 1, H372(sistema nervioso) - Skin Irrit. 2, H315 - Skin Sens. 1, H317, EUH070	Dermal: ETA = 790 mg/kg pc (ATP 18) Inhalation: ETA = 0.5 mg/l (ATP 18) Oral: ETA = 500 mg/kg pc (ATP 18)

# SAFETY DATA SHEET

(According to Regulation (EC) No. 1907/2006 (REACH) and the modifications by Regulations (EC) No. 1272/2008 (CLP), (EU) 2015/830 and (EU) 2020/878)



## DISPERLITH PRIMER

Version 1 Date of compilation: 18/07/2025

Page 3 of 11  
Print date: 10/09/2025

Index No: 613-088-00-6 CAS No: 2634-33-5 EC No: 220-120-9 Registration No: 01-2120761540-60-XXXX	1,2-benzisothiazol-3(2H)-one	0.01 - 0.036 %	Acute Tox. 2, H330 - Acute Tox. 4, H302 - Aquatic Acute 1, H400 (M=1) - Aquatic Chronic 1, H410 (M=1) - Eye Dam. 1, H318 - Skin Irrit. 2, H315 - Skin Sens. 1A, H317	Skin Sens. 1A, H317: C ≥ 0,036 % Inhalation: ETA = 0.21 mg/L (ATP 21) Oral: ETA = 450 mg/kg bw (ATP 21)
Index No: 613-112-00-5 CAS No: 26530-20-1 EC No: 247-761-7 Registration No: 01-2120768921-45-XXXX	2-octyl-2H-isothiazol-3-one	0.0025 - 0.025 %	Acute Tox. 2, H330 - Acute Tox. 3, H311 - Acute Tox. 3, H301 - Aquatic Acute 1, H400 (M=100) - Aquatic Chronic 1, H410 (M=100) - Eye Dam. 1, H318 - Skin Corr. 1, H314 - Skin Sens. 1A, H317, EUH071	Skin Sens. 1A, H317: C ≥ 0,0015 % Dermal: ETA = 311 mg/kg bw (ATP 15) Inhalation: ETA = 0.27 mg/L (ATP 15) Oral: ETA = 125 mg/kg bw (ATP 15)

(\*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

The total OIT content is between 0.03- 0.4%, the free OIT content between 0.0025-0.025%. Only the free content is toxicologically relevant and must be taken into account for the classification of the preparation with regard to the following properties: Environmental hazard, skin and eye irritation and sensitisation.  
For the wording of the possible hazards listed here see chapter 16.

## SECTION 4: FIRST AID MEASURES.

### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

#### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

#### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed.

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. If the person vomits, clear the respiratory tract. Keep the person comfortable. Turn him/her over to the left side and stay there while waiting for medical care.

# SAFETY DATA SHEET

(According to Regulation (EC) No. 1907/2006 (REACH) and the modifications by Regulations (EC) No. 1272/2008 (CLP), (EU) 2015/830 and (EU) 2020/878)



## DISPERLITH PRIMER

Version 1 Date of compilation: 18/07/2025

Page 4 of 11  
Print date: 10/09/2025

### SECTION 5: FIREFIGHTING MEASURES.

The product is NOT classified as flammable, in case of fire the following measures should be taken:

#### 5.1 Extinguishing media.

##### Suitable extinguishing media:

Extinguisher powder or CO<sub>2</sub>. In case of more serious fires, also alcohol-resistant foam and water spray.

##### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

#### 5.2 Special hazards arising from the substance or mixture.

##### Special risks:

Exposure to combustion or decomposition products can be harmful to your health.

#### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

##### Fire protection equipment:

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

### SECTION 6: ACCIDENTAL RELEASE MEASURES.

#### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

#### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

### SECTION 7: HANDLING AND STORAGE.

#### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

#### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 °C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

# SAFETY DATA SHEET

(According to Regulation (EC) No. 1907/2006 (REACH) and the modifications by Regulations (EC) No. 1272/2008 (CLP), (EU) 2015/830 and (EU) 2020/878)



## DISPERLITH PRIMER

Version 1 Date of compilation: 18/07/2025

Page 5 of 11  
Print date: 10/09/2025

The product is not affected by Directive 2012/18/EU (SEVESO III).

Storage classe: 12 Non-flammable liquids.

### 7.3 Specific end use(s).

Not available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

### 8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

### 8.2 Exposure controls.

#### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

<b>Concentration:</b>	100 %					
<b>Uses:</b>	<b>Primer</b> <b>Industrial use</b> <b>Professional use</b>					
<b>Breathing protection:</b>						
PPE: Filter mask for protection against gases and particles.						
Characteristics: «CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.						
CEN standards: EN 136, EN 140, EN 405						
Maintenance: Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.						
Observations: Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.						
Filter Type needed: P2+B2+A2						
<b>Hand protection:</b>						
PPE: Work gloves.						
Characteristics: «CE» marking, category I.						
CEN standards: EN 374-1, EN 374-2, EN 374-3, EN 420						
Maintenance: Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible.						
Observations: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.						
Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.						
Material:	Nitrile	Breakthrough time (min.):	> 480			
Material:	Neoprene	Breakthrough time (min.):	> 480			
Material:	Chloroprene	Breakthrough time (min.):	> 480			
Material thickness (mm):	0,12					
Material thickness (mm):	0,13					
Material thickness (mm):	0,18					
<b>Eye protection:</b>						
PPE: Face shield.						
Characteristics: «CE» marking, category II. Face and eye protector against splashing liquid.						
CEN standards: EN 165, EN 166, EN 167, EN 168						
Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly.						
Observations: Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame.						
<b>Skin protection:</b>						



# SAFETY DATA SHEET

(According to Regulation (EC) No. 1907/2006 (REACH) and the modifications by Regulations (EC) No. 1272/2008 (CLP), (EU) 2015/830 and (EU) 2020/878)



## DISPERLITH PRIMER

Version 1 Date of compilation: 18/07/2025

Page 6 of 11  
Print date: 10/09/2025

PPE:	Protective clothing.
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.
CEN standards:	EN 340
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.
Observations:	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.
PPE:	Work footwear.
Characteristics:	«CE» marking, category II.
CEN standards:	EN ISO 13287, EN 20347
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: Colourless

Odour: Characteristic

Odour threshold: Not applicable/Not available due to the nature/properties of the product

Melting point: Not applicable/Not available due to the nature/properties of the product

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: 86 °C (Estimation based on the indication of the Regulation (CE) N°1272/2008.)

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product

Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: 314 °C (Estimation based on the indication of the Regulation (CE) N°1272/2008.)

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product

Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: 8,5 (100%)

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product

Hydrosolubility: miscible

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: 23,684 (Estimation based on the indication of the Regulation (CE) N°1272/2008.)

Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 1,02

Relative vapour density: Not applicable/Not available due to the nature/properties of the product

Particle characteristics: Not applicable/Not available due to the nature/properties of the product

### 9.2 Other information

Not applicable/Not available due to the nature/properties of the product

## SECTION 10: STABILITY AND REACTIVITY.

### 10.1 Reactivity.

The product does not present hazards by their reactivity.

### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

### 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

# SAFETY DATA SHEET

(According to Regulation (EC) No. 1907/2006 (REACH) and the modifications by Regulations (EC) No. 1272/2008 (CLP), (EU) 2015/830 and (EU) 2020/878)



## DISPERLITH PRIMER

Version 1 Date of compilation: 18/07/2025

Page 7 of 11  
Print date: 10/09/2025

### 10.4 Conditions to avoid.

Avoid any improper handling.

### 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

### 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

## SECTION 11: TOXICOLOGICAL INFORMATION.

### 11.1 Information on hazard classes as defined in Regulation (EC) Nº 1272/2008.

#### Toxicological information about the substances present in the composition.

Name	Acute toxicity			
	Type	Test	Kind	Value
2-octyl-2H-isothiazol-3-one	Oral	LD50	Rat	550 mg/kg
	Dermal	LD50	Mouse	690 mg/kg
	Inhalation			

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Based on available data, the classification criteria are not met.

c) serious eye damage/irritation;

Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation;

Product classified:

Skin sensitisier, Category 1: May cause an allergic skin reaction.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Based on available data, the classification criteria are not met.

j) aspiration hazard;

Not conclusive data for classification.

### 11.2 Information on other hazards.

#### Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### Other information

There is no information available on other adverse health effects.

# SAFETY DATA SHEET

(According to Regulation (EC) No. 1907/2006 (REACH) and the modifications by Regulations (EC) No. 1272/2008 (CLP), (EU) 2015/830 and (EU) 2020/878)



## DISPERLITH PRIMER

Version 1 Date of compilation: 18/07/2025

Page 8 of 11  
Print date: 10/09/2025

### SECTION 12: ECOLOGICAL INFORMATION.

#### 12.1 Toxicity.

Name	Ecotoxicity			
	Type	Test	Kind	Value
2-octyl-2H-isothiazol-3-one	Fish	LC50	Fish	0.154 mg/l (96 h) [1]
		[1] Office of Pesticide Programs 2000. Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C.		
	Aquatic invertebrates	EC50	Crustaceans	0.25 mg/l (48 h) [1]
CAS No: 26530-20-1 EC No: 247-761-7		Aquatic plants		

#### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

#### 12.3 Bioaccumulative potential.

##### Information about the bioaccumulation of the substances present.

Name	Bioaccumulation			
	Log Pow	BCF	NOECs	Level
2-octyl-2H-isothiazol-3-one CAS No: 26530-20-1 EC No: 247-761-7	2,45	19,21	-	Low

#### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

#### 12.5 Results of PBT and vPvB assessment.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties.

The substance/mixture does not contain components that are endocrine disruptors according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

#### 12.7 Other adverse effects.

The product is not affected by the Regulation (EU) 2024/590 of the European Parliament and of the Council of 7 February 2024 on substances that deplete the ozone layer.

No information is available about other adverse effects for the environment.

# SAFETY DATA SHEET

(According to Regulation (EC) No. 1907/2006 (REACH) and the modifications by Regulations (EC) No. 1272/2008 (CLP), (EU) 2015/830 and (EU) 2020/878)



## DISPERLITH PRIMER

Version 1 Date of compilation: 18/07/2025

Page 9 of 11  
Print date: 10/09/2025

### SECTION 13: DISPOSAL CONSIDERATIONS.

#### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

Waste classification according to the European Waste Catalogue:

08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 01 wastes from MFSU and removal of paint and varnish

08 01 99 wastes not otherwise specified

### SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

#### 14.1 UN number or ID number.

Transportation is not dangerous.

#### 14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport.

IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

#### 14.3 Transport hazard class(es).

Transportation is not dangerous.

#### 14.4 Packing group.

Transportation is not dangerous.

#### 14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

#### 14.6 Special precautions for user.

Transportation is not dangerous.

#### 14.7 Maritime transport in bulk according to IMO instruments.

Not classified as hazardous for transport.

### SECTION 15: REGULATORY INFORMATION.

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

##### Volatile organic compound (VOC)

Product Subcategory (Directive 2004/42/EC): g - Primers, water-borne

Phase I\* (from 01/01/2007): 50 g/l

Phase II\* (from 01/01/2010): 30 g/l

(\*) g/l ready to use

VOC content (p/p): 0 %

VOC content: 0 g/l

The provisions of Directive 2004/42/EC on VOC apply to this product. Refer to the product label and/or technical data sheet for further information.

# SAFETY DATA SHEET

(According to Regulation (EC) No. 1907/2006 (REACH) and the modifications by Regulations (EC) No. 1272/2008 (CLP), (EU) 2015/830 and (EU) 2020/878)



## DISPERLITH PRIMER

Version 1 Date of compilation: 18/07/2025

Page 10 of 11  
Print date: 10/09/2025

Information related to Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products:  
Treated article.

Active substances
2-n-butyl-benzo[d]isothiazol-3-one CAS No: 4299-07-4 EC No: 420-590-7
Pyridine-2-thiol 1-oxide, sodium salt CAS No: 3811-73-2 EC No: 223-296-5
1,2-benzisothiazol-3(2H)-one CAS No: 2634-33-5 EC No: 220-120-9
2-octyl-2H-isothiazol-3-one CAS No: 26530-20-1 EC No: 247-761-7

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Kind of pollutant to water (Germany): WGK 2: Hazardous to water. (Autoclassified according to the AwSV Regulations)

### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H372	Causes damage to organs (nervous system) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Complete text of the EUH phrases that appear in section 3:

EUH070	Toxic by eye contact.
EUH071	Corrosive to the respiratory tract.

Classification codes:

Acute Tox. 2: Acute toxicity (Inhalation), Category 2  
Acute Tox. 3: Acute toxicity (Dermal), Category 3  
Acute Tox. 3: Acute toxicity (Inhalation), Category 3  
Acute Tox. 3: Acute toxicity (Oral), Category 3  
Acute Tox. 4: Acute toxicity (Oral), Category 4  
Aquatic Acute 1: Acute toxicity to the aquatic environment, Category 1  
Aquatic Chronic 1: Chronic effect to the aquatic environment, Category 1  
Aquatic Chronic 3: Chronic effect to the aquatic environment, Category 3  
Eye Dam. 1: Serious eye damage, Category 1  
Eye Irrit. 2: Eye irritation, Category 2  
STOT RE 1: Specific target organ toxicity following a repeated exposure, Category 1  
Skin Corr. 1: Skin Corrosive, Category 1

# SAFETY DATA SHEET

(According to Regulation (EC) No. 1907/2006 (REACH) and the modifications by Regulations (EC) No. 1272/2008 (CLP), (EU) 2015/830 and (EU) 2020/878)



## DISPERLITH PRIMER

Version 1 Date of compilation: 18/07/2025

Page 11 of 11  
Print date: 10/09/2025

Skin Irrit. 2: Skin irritant, Category 2

Skin Sens. 1: Skin sensitiser, Category 1

Skin Sens. 1A: Skin sensitiser, Category 1A

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data

Health hazards Calculation method

Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

AwSV: Facility Regulations for handling substances that are hazardous for the water.

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

EC50: Half maximal effective concentration.

PPE: Personal protection equipment.

LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

NOEC: No observed effect concentration.

WGK: Water hazard classes.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2020/878.

Regulation (EC) No 1907/2006.

Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.